



Dongguan Zhiding Electronics Technology Co., LTD

No. 8, Yinling Industry Zone, Xiaqiao, Dongcheng District,

Dongguan, Guangdong, China

Tel:86-0769-22665151 Fax:86-0769-22665155 Contact: Elsa Xiao Email: sales@zhidingled.com


3mm orange led diode lights

3mm through hole component LED in orange. Features 2000 mcd, 605nm wavelength, and a 30 degree viewing angle. See dimension picture. Component LEDs are sensitive electronic devices and require some knowledge of electronic circuits to operate them.

3mm LED white diffused Pure Orange


Brand	ALLIGHT
Part Number	AL-L032SOW-LP-M
LED Dimensions	3.0X5.4mm
Style	Classic
Color	Orange 600-610nm / MPQ 1000pcs
Shape	3mm Round Head
Voltage	2.4 volts
Specific Uses	General purpose
Fixture Features	Instant On
Batteries Included?	No
Batteries Required?	No
Type of bulb	LED
Wattage	0.06 watts

Package Dimensions



Unit: (mm)

Tolerance: ± 0.25 mm





3mm orange led diode lights Applications:

The display screen of indoor and outdoor

Architectural decorative lighting

Backlighting for signage letters

Portable equipment

Monitors

Traffic lights

Automotive lights

Mood lighting, LED modules

APPLICATIONS

APPLICATION SCENARIOS:

Power indicator、Auto lamp、The traffic light、LED、Decorative lights
High-End Electronic Products、Household Electrical Appliances、Power converter、
Private Custom



3mm orange led diode lights Production

We use high quality raw materials: Taiwan chips, copper brackets and so on. Excellent production and testing system to ensure the quality of our products.

PRODUCTION PROCESS



Die Bond



Wire Solder




Compression Moulding



Slicing



Spectrometer



Taping

RELATED PRODUCTS



AL-L031SRC-L1-M



AL-L032UBD-LP-M



AL-L051DRVGC-L0CR-M



AL-L051RGBC-LPAR-M



AL-L051SRC-L1-M



AL-L052SRD-LP-M



AL-L052TGD-L1-M



AL-L234SRC-LP-M



AL-L234SRD-LP-M

Welding conditions

Pb-free reflow burst temperature profile

Reflow soldering should not exceed twice

Don't press the LED light when welding

Do not distort the circuit board when the temperature does not fall back to normal temperature after soldering

FAQ:

Q1, What is the package of dip diode led products?

A1. Normally, 1000pcs led diodes with a sealed Anti-Static bag, several bags with a carton

Q2. How long of your delivery time?

A2. 5-7 days for samples, 1-2 weeks for formal order.

Q3. How long of your warranty time?

A3. We offer 3 years warranty.

Q4. How can I pay the order?

A4. Usually we accept T/T, Paypal and Western Union. If you want to pay by other ways, please contact us.

Q5. Can you provide customization and OEM service?

A5. Yes, we offer customization and OEM service, please tell us your requirements clearly.

Sales Representative

Elsa Xiao

Oversea Sales Manager

Dongguan Zhiding Electronics Technology CO., LTD

Add: No. 8, Yinling street, XiaQiao, Dongcheng Dist., Dongguan, Guangdong, China

Web: <http://www.allightled.com/>

E-mail: sales@zhidingled.com

Skype: elsa.xiao0418

Mobile/Whatsapp: 86-13412570091

Tel: 86-769-22665151

Fax: 86-769-22665155

WELCOME TO CONTACT US>>>>WWW.ZHIDINGLED.COM



Oversea Sales Manager

Elsa Xiao

E-mail:sales@zhidingled.com

Skype: elsa.xiao0418

Mobile: 86-13412570091

WhatsApp: 86-13412570091

Tel: 86-769-22665151

Fax:86-769-22665155